



## FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1823

Certificate only valid if verified on website – [www.ifccertification.com](http://www.ifccertification.com)

Issued by IFC Certification Ltd part of the Kiwa UK Group

This is to certify that

### TSIGENIS A EVE T/A TSIGENIS WOODCRAFT

5km Heraklion - Finikia

Heraklion

71500

Greece

Tel: +302810373370

Who fabricate the following timber fire doors and or doorsets:

**Halspan FD30, FD60, FD90, FD120.  
Sauerland FD30, FD60**

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes** integrity are detailed on page 2 of this certificate.

Initial Certification: 22 February 2023

Reissued: 27 October 2023

Valid to: 21 February 2028

Issue number: 2

Ian Woodhouse

Head of Technical – IFC Certification

Kiwa Ltd

*This certificate consists of 2 pages.  
Publication of this certificate is permitted.*

The production of fire-resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/Test Report
Halspan Prima	FD30	IFCA06166 (HS01)
Halspan Prima	FD60	IFCA06167 (HS02)
Halspan Optima	FD30	PAR/10341/01 (HS03)
Halspan Optima	FD60	PAR/10341/02 (HS04)
Halspan	FD90	PAR/10513/01 (HS05)
Halspan	FD120	PAR/10513/02 (HS06)
Timber based 3 layer Door Leaves (S3K) installed in Timber Frames	FD30	PAR/12033/01
Tube Core Door Leaves installed in Timber Frames	FD30	PAR/13211/01
Solid Core (VT5), Sandwich Core (SK2) & (SK3)	FD30	PAR/13211/02
Solid Core Door Leaves (42VL & 42VT) installed in Timber Frames	FD60	PAR/13211/03
TriSound S3D	FD60	PAR/13088/01

Signed on behalf of Kiwa Ltd



Ian Woodhouse  
Head of Technical – IFC Certification  
Kiwa Ltd

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

**It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.**

**Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.**

# CERTIFICATE